

AQUAstay WATER TANKS

for rain-, drinking- and wastewater

ORDER SHEET

CUSTOMER:

ADDRESS:


PHONE / E-MAIL:

ORDER DATE:



CUSTOMER SIGNATURE:

CUSTOMER REMARKS:

CONNECTION POSITION OPTIONS



WATER TANK TYPE

- ☐  RAINWATER BLUE
- ☐  DRINKING WATER WHITE
- ☐  WASTEWATER BLACK


WATER TANK SIZE AND QUANTITY

TYPE	VOLUME	NR. OF REV. OPENINGS	QTY.
L	500	1	
L	1.000	1	
L	2.000	1	
L	2.500	1	
L	3.000	1	
XL	3.500	1	
XL	5.000	1	
XL	6.000	1	
XL	7.000	1	
XL	10.000	2	
XXL	8.000	1	
XXL	10.000	1	
XXL	12.000	1	
XXL	16.000	2	
XXL	18.000	2	
XXL	20.000	2	
XXL	26.000	2	
XXL	28.000	2	
XXL	30.000	2	
XXL	36.000	2	
XXL	38.000	2	
XXL	40.000	2	
XXL	46.000	2	
XXL	50.000	2	


WATER TANKS LARGER THAN 16.000 L HAVE TWO REVISION OPENINGS

Specific demands, which are not stated clearly or cannot be stated clearly, should be an appendice to this form.

ADDITIONAL FEATURES



- ☐ AIR VENT
- ☐ V1
- ☐ V2



- ☐ LID WITH A LOCK
- ☐ V1
- ☐ V2



- ☐ V1
- ☐ V2

☐ RING H = 250 mm

☐ RING H = 500 mm

☐ RING GASKET



☐ EXTENSION RING H = 270 - 330 mm

☐ EXTENSION RING H = 350 - 500 mm



☐ INOX STRAPS for tank installation in the presence of groundwater


INLET GASKET OR CONNECTION PIPE ON THE SELECTED CONNECTION

INLET GASKET



DIMENSION - DIAMETRE	CONNECTION LOCATION							
	P1	P2	P3	P4	P5	P6	P7	P8
VT - 25-40 mm (bor. 57 mm)								
VT - 50 mm (bor. 57 mm)								
VT - 63 mm (bor. 75 mm)								
VT - 75 mm (bor. 83 mm)								
VT - 90 mm (bor. 97 mm)								
VT - 110 mm (bor. 124 mm)								
VT - 125 mm (bor. 138 mm)								
VT - 160 mm (bor. 175 mm)								
VT - 200 mm (bor. 215 mm)								
INLET	THE DIFFERENCE BETWEEN THE INLET AND OUTLET $\Delta h = \text{_____mm}$							
OUTLET								

CONNECTION PIPE L = 400 mm



* OTHER DIMENSIONS HAVE TO BE MADE-TO-ORDER

DIMENSION - DIAMETRE	CONNECTION LOCATION							
	P1	P2	P3	P4	P5	P6	P7	P8
DN 25 (3/4")								
DN 32 (1")								
DN 40 (5/4")								
DN 50 (6/4")								
DN 63 (2")								
DN 75 (2 1/2")								
DN 90 (3")								
DN 100								
DN 125								
DN 150								
DN 200								

